

Europäisches Patentamt

European Patent Office
Office européen des brevets

Publication number:

0 205 208 A2

①

## **EUROPEAN PATENT APPLICATION**

- Application number: 86200940.4
- 1 tnt. Cl.4 C11D 3/386, C12N 9/20

- Date of filing: 30.05.86
- Priority: 11.06.85 GB 8514708
- Date of publication of application:
   17.12.86 Builetin 86/51
- Designated Contracting States: CH DE FR GB IT LI NL SE
- Anplicant: UNILEVER NV
  Burgemeester s'Jacobplein 1 P.O. Box 760
  NL-3000 DK Rotterdam(NL)
  Applicant: UNILEVER PLC
  Unilever House Blackfriars P.O. Box 68
  London EC4P 4BQ(GB)
- ② Inventor: Thom, David
  van Deventerlaan 59
  NL-2271 TW Voorburg(NL)
  Inventor: Swarthoff, Ton
  Melkweg 34
  NL-3225 VE Hellevoetsluis(NL)
  Inventor: Maat, Jan
  Molenstraat 2
  NL-2681 BS Monster(NL)
- Representative: Van Gent, Jan Paulus et al Unitever N.Y. Patent Division P.O. Box 137 NL-3130 AC Vlaardingen(NL)
- Enzymatic detergent composition.
- The invention relates to a detergent composition comprising lipases. By inclusion of a certain immunologically defined class of lipases in a detergent composition which comprises as detergent-active material solely an anionic synthetic detergent, and as builder a water-soluble inorganic or organic builder salt, an improved overall detergency is obtained. The builder salt is typically sodium tripolyphosphate or sodium carbonate, and the lipase is typically obtained from certain <a href="Pseudomonas">Pseudomonas</a> or <a href="Pseudomonas">Chromobactor</a> ler strains.

BEST AVAILABLE COT

.

Xerox Copy Centre

0 20€ 208

₿

prise enzymes other than lipases, such as proteases, amylases, oxidases and ceiluiases. In this respect it has surprisingly been found that, although the lipases of the present invention rapidly lose activity in the presence of proteases in clean model systems, under practical wash conditions in washing machines a substantial benefit is still delivered by the lipases in the presence of proteases.

The compositions of the present invention can be formulated in any desired form, such as powders, bars, pastes, liquids etc.

As said before, the compositions of the present invention show an improved overall detergency performance, particularly at lower temperatures. It is surprising that fully formulated detergent compositions incorporating the lipases of the present

invention do show such an improved overall performance, when the prior art hitherto has indicated that lipases would only give some effect under particular conditions.

5 The invention will now further be illustrated by way of Examples.

## Example 1

The following detergent compositions, with and without a lipase according to the present invention were tested in a washing test under the conditions mentioned below. The ilipase used was Amano-P as heretofore described, used in a concentration of \$1.11(m).

		& weigi		lgnt
		A		В
sodium alkylbenzenesulphonate		24.0		28.0
pentasodium tripolyphosphate		15.0		2.1
alkaline sodium silicate		10.0		12.0
sodium carboxymethylcellulose		0.6		0.6
sodium sulphate		32.5		15.4
fluorescer		0.4		0.4
sodium carbonate		10.0		35.0
miscellaneous + water	to	100%	to	100%

The washing test was carried out under the following conditions:

Cotton test cloths soiled with a mixture containing inorganic pigments, protein, palm oil were soaked in a wash liquor containing 3.5 g/l of the detergent composition at 20°C, were subsequently hand washed for 1.5 minute and thereafter rinsed 3 times, each time for 2 minutes. After washing, the test cloths were soiled and washedagain. The full soiling/washing procedure was repeated four times. The water hardness was 8° GH.

The liquor/cloth ratio during soaking, washing and rinsing was 9.3 and 20 respectively. After the fourth wash the reflectance of the test cloths and the residual percentage of fatty material on the test cloths were determined. The reflectance was measured in a Perfectometer at 460 nm with a UV fitter in the light pathway and the fatty matter by extracting the dried test cloths with petroleum euher, distilling off the solvent and weighing the resulting fatty matter.

The following results were obtained:

0 205 208

12

## Claims

 A detergent composition comprising as detergent-active material solely an anionic synthetic ic detergent, a builder and a lipase, characterised in that the builder is a water-soluble organic or inorganic builder salt and the lipase is a lipase which shows a positive immunological cross-reaction with the antibody of the lipase, producible by the microorganism <u>Pseudomonas fluorescens</u> IAM

11

2. A composition according to claim 1,

characterised in that the builder is pentasodium tripolyphosphate.

3. A composition according to claim 1,

characterised in that the builder is sodium carbonate.

4. A composition according to claim 1,

characterised in that the builder is a mixture of pentasodium tripolyphosphate and sodium carbon-

5. A composition according to claim 1.

characterised in that the lipase also shows a positive immunological cross-reaction with the antibody of the lipase, producible by the microorganism Chromobacter viscosum var. lipolyticum NRRLB 3673 or Pseudomonas oladioli.

6. A composition according to claim 1,

characterised in that the positive immunological cross-reaction showing lipase is a lipase, productible by strains of the <u>Pseudomonas</u> and the <u>Chrombacter</u> genus.

7. A composition according to claim 1.

characterised in that the lipase is producible by strains of <u>Pseudomonas fluorescens</u>, of <u>Pseudomonas fluoreductans</u> var. <u>lipolyticum</u> of <u>Pseudomonas gladioli</u>, and of <u>Chromobacter viscosum</u>.

8. A composition according to claim 1,

characterised in that it further conatins a bleaching agent.

9. A composition according to claim 1,

characterised in that it further contains a proteolytic enzyme.

35

---

4

50

56

7